



Quick-Sol Global, LLC

## SHIPPING INFORMATION

 **QUICK-SOL<sup>®</sup>**  
Working for the World of Tomorrow



## SHIPPING INFORMATION

### Three size containers

- ✓ 5 gallon (18.93 liters) buckets
- ✓ 55 gallon (208 liters) drums
- ✓ 275 gallon (1040 liters) totes

### Maximum Number of Buckets per container

**40 foot container:** 756 Buckets (Four buckets stacked on top of one another, implies 36 buckets per pallet)

**20 foot container:** 480 Buckets (Four buckets stacked on top of one another, implies 48 buckets per pallet)

\* **NOTE:** Check your country weight limitations on roads.



### 5 Gallon Buckets Specs (18,93 Liters)

Open head HDPE buckets come with lids equipped with a pull up spout for easy pouring.

If shipped per pallet, consider 48 buckets per pallet (see picture).



## Maximum Number of Drums per container

**40 foot container:** 71 to 74 Drums (74 drums paying overweight)  
**20 foot container:** 40 Drums

**\* NOTE:** Even though the maximum number of drums per container based on weight limitations on the vessels is the one stated above; it is very important to check with country authorities regarding local limitations, impose by the Department of Transportation of each country (maximum weight on local roads etc).

## 55 Gallon Drum Specs

Closed head HDPE poly drums.  
These drums are made from FDA approved HDPE resin. All drums have 2 inch NPS openings and meet Rule 257 of the National Motor Freight Classification.

**Size:** Dia. 23.50 inches x H 34.75 inches  
**Net Weight:** 625 pounds

Order less than an ocean freight container, if loaded in pallets (always treated) 3 or 4 drums per pallet.



Ocean freight container with pallets (always treated), 4 drums per pallet.



Ocean Freight container without pallets.



## 275 Gallon Containers IBC (1040 Lt)

**40 foot container:** 14 Totes (15 Totes paying overweight)  
**20 foot container:** 10 Totes

The tote offers the greatest possible volume in the minimum of space.  
Inner container should be made of high molecular weight, high density polyethylene extrusion blow molded.

**Outer container:** rigid welded galvanized tubular steel grid.  
**Filling opening:** 6" (150mm) opening with screw cap with a 2" removable vent plug in the center.



Bottom molded, pressed base shaped to support the inner container and assist total drainage.



### The reasons for using these larger containers are:

space saving during transport and storage periods, eliminating product waste while discharging and draining of container, easier inventory control.

**Size:** Width. 46" x Length. 48" x Height. 40"  
**Net Weight:** 3,125 lb

Distributors are responsible to be familiar with all local shipping /transportation restrictions and/or laws, such as weight limits, etc.

## **Quick-Sol Global, LLC**

808 Hwy 473. Comfort, TX 78013

Phone 1-888-588-3329

Website [www.quick-sol.org](http://www.quick-sol.org)

